Pets Portfolio

edo Laboratorios

ORAL SUPPLEMENTS

COSMETICS

ANTIPARASITICS

HEMOPARASITES



ANTIBIOTICS

ENERGIZER

DERMICS

JOINTS

NUTRITIONAL SUPPLEMENTATION, BONE DEVELOPMENT AND GROWTH

OTHER

ANALGESICS - ANTI-INFLAMMATORY

COSMETICS

DERMAVET JABÓN

Irgasan.
ANTISEPTIC.

Deodorant and disinfectant soap with Irgasan. The antiseptic action of Irgasan prevents and contributes to the recovery of mild skin infections.
Use: External.
Presentation in g: 90.

DERMAVET SHAMPOO MEDICADO

Formaldehyde.
ANTISEPTIC.

Medicated shampoo, coadjuvant in the treatment of skin conditions. Use: External.
Presentation in mL: 240.

BEAUTY CRIN

Metrifonate.
KERATOLYTIC, ANTISEPTIC, FUNGICIDE.

Silicone solution, pine oil.
DETANGLING, POLISHING AND COAT PROTECTOR.

Detangles the tail and mane, leaving the coat soft, smooth and shiny.
Use: External.
Presentation in mL: 120.

ORAL SUPLEMENTS

BONAPEL CACHORROS OLEOSO

Minerals, vitamins, amino acids, omega 3, 6, 9 and fatty acids.
REMINERALIZER, RESTORATIVE FOR HEALTH AND BEAUTY.

Food supplement for dogs and cats between 2 and 24 months. Contributes to recover and maintain the body condition and general condition of the puppy (muscles, hair and skin).
Dosage: Dogs and Cats: 1 mL / 3 Kg of weight. Oral use.
Presentation in mL: 120, 250.

PIELOSAN NUTRIENTES

Minerals, vitamins, amino acids, omega 3, 6, 9, and fatty acids.
REMINERALIZER, RESTORATIVE FOR HEALTH AND BEAUTY.

Nutritional supplement to contribute to healthy development, improves body condition, coat and skin.
Dosage: 1 to 3 mL per Kg of weight depending on the deficiency state. Apply orally directly or in the drinking water.
Presentation in mL: 120.

BONAPEL ADULTOS

Minerals, vitamins, amino acids, omega 3, 6 and 9, fatty acids.
REMINERALIZER, RESTORATIVE FOR HEALTH AND BEAUTY.

Food supplement for adult dogs and cats. Contributes to recover and maintain the body condition and general condition of the animal (muscles, hair and skin).
Dosage: Dogs: Small 5 mL daily, medium 10 mL daily, large 15 mL daily. Cats: 10 mL daily.
Due to its high concentration, its taste is strong, it is recommended to offer the dose in 2 or 3 times a day. Oral use.
Presentation in mL: 120, 250.

ENERGIZER

EDO A.T.P

Adenosine Triphosphate, Magnesium Aspartate, Potassium Aspartate, Cyanocobalamin, Sodium Selenite. MUSCULAR AND ENERGETIC RECONSTITUENT.

Muscle and energy restorative based on ATP, the natural physiological energy molecule, plus B12 and minerals. Provides maximum energy in an immediate way for animals that require it either in diseases or physiological demands.
Dosage: 1-5 mL. Intramuscular or slow intravenous application.
Presentation in mL: 50, 100, 250, 500.

JOINTS

EDO ARTIFLEX MASCOTAS

Glucosamine, Chondroitin, MSM, Vitamins A, C, D, E, B.
JOINT SUPPLEMENT.

Nutritional supplement for the prevention and treatment of joint diseases. It acts in the maintenance, strengthening and recovery of joints.
Dosage: 5 - 10 mL / animal / day. Oral use. Minimum 3 months to obtain the required levels of its active components in the body.
Presentation in mL: 120, 250.

NUTRITIONAL SUPPLEMENTATION, BONE DEVELOPMENT AND GROWTH

EDO CALCITECH

Calcium, Phosphorus, Vitamins A, D and B Complex. REMINERALIZER AND RECONSTITUTING.

Nutritional supplement with high content of Calcium and Phosphorus, in addition to other vitamins, for a good body and bone development. Stimulates appetite and body development, ensures the formation of healthy and strong bones.
Dosage: Dogs: 10 mL / 10 Kg of weight. Cats: 2 mL / Kg of weight. Oral use.
Presentation in mL: 120, 250, 500, 1000.

CALCIO ORAL

Calcium, Vitamins A, D, Lysine. REMINERALIZER, RESTORATIVE.

Nutritional supplement for the treatment of deficiencies of Calcium and vitamins A and D. Lysine allows a better absorption of Calcium. Ideal in newborn females for the treatment of calcium deficiency and calcium deficiency diseases, also for young animals in cases of rickets and osteomalacia.
Dosage: 1.5 mL / 1 Kg of weight every 12 hours.
Presentation in mL: 60, 240, 500.

OTHER

EDO DIUREX

Furosemide 5%. DIURETIC.

Injectable solution with diuretic and antihypertensive action, adjuvant in the treatment of edema of extremities, udder, foreskin, scrotum, lung, kidney. It is also useful in food poisoning.
Dosage: 0.5 mL / 20 Kg of weight. Slow intravenous or intramuscular application.
Presentation in mL: 20, 50.

EDO DIFENIN

Diphenhydramine. ANTIHISTAMINE AND ANTIALLERGIC.

Antihistamine and antiallergic indicated in conditions caused by excessive histamine release. Useful in anaphylactic, postoperative and post-traumatic shocks, allergies, intoxications, stings, post-vaccination reactions, photosensitization, dermatitis and allergic dermatosis.
Dosage: 0.5 - 1 mL / 10 Kg of weight. Deep intramuscular application.
Presentation in mL: 10, 50, 100.

DERMICS

HEXADERM

Neomycin
Betamethasone
Clotrimazole
Lidocaine.
Zinc.

ANTIMICROBIAL, ANTI-INFLAMMATORY, FUNGICIDAL, ANTI-ALLERGIC, ANESTHETIC AND HEALING CREAM.

Hexaderm is a dermatological cream, which has the ideal formulation, combining bactericidal and fungicidal action. It is indicated for the treatment of skin diseases accompanied by inflammation and itching. It promotes healing, in addition to its anti-allergic and anesthetic properties. It can be used on open wounds thanks to the presence of zinc oxide.
Dosage: Apply on the affected area 3 times a day for 5 days.
Presentation in g: 35.

CLORHEXIDINA GEL

Chlorhexidine, Lidocaine. ANTISEPTIC.

Antiseptic for external use, with bactericidal action. Useful in pre-surgical disinfection of instruments and patient's skin. Useful for skin infections, burns, wounds. Useful for management of periodontitis, gingivitis and dental hygiene. Useful in preputial, vaginal and external auditory canal washing (diluted). Recommendations: The product is inactivated in the presence of soaps and decreases its activity in the presence of organic matter. Not indicated for daily use in oral hygiene. **Caution:** avoid contact with eyes.
Presentation in g: 50.

EDO 5

Copper Sulfate, Zinc Sulfate, Carbolic Acid, Pine Oil, Glycerol.
HEALING, EMOLLIENT, FUNGICIDAL, ANTISEPTIC, REPELLENT.

Non-toxic, non-staining, for deep healing and complete cure.
Dosage: Apply 3 times a day for 5 days. Topical use. In case of contaminated wounds: wash the affected area with soap or Edo Chlorhexidine Gel, dry and apply until wound healing.
Presentation in mL: 120, 250.



ANTIBIOTICS

EDO BENPROPEN

Penicillin G Procaine, Penicillin G Potassium, Streptomycin and Triamcinolone.

Antimicrobial and anti-inflammatory. It is an association that guarantees potent, fast and long-lasting action, of broad spectrum. Useful in bacterial diseases complicated by inflammatory processes, respiratory, reproductive, and urinary tract.
Dosage: 1 mL / 20 Kg of weight. Deep intramuscular application. **Precautions:** Do not use in pregnant females.
Presentation in MUI: 2, 4, 6.

EDO PENICILINA TRIPLE

Penicillin G Benzathine, Penicillin G Procaine, Penicillin G Potassium.

Triple Penicillin is the association of three Penicillins (short, medium and long action), with ultra fast, powerful and long-lasting effect against Gram + and Gram - bacteria.
Dosage: 1 mL / 20 Kg of weight. Deep intramuscular application.
Presentation in MUI: 7, 5 - 10.



EDO FLOX

Enrofloxacin 5%.
ANTIBIOTIC.

Broad spectrum antibiotic, for the treatment of infections of the digestive tract, respiratory tract and genitourinary tract, skin infections, septicemic infections.
Dosage: 1mL / 10 Kg of weight, subcutaneous application.
Presentation in mL: 10, 50, 100.

EDO SULFA 4,8%

Sulfadiazine, Trimethoprim.
ANTIBIOTIC.

Antibiotic in oral suspension of broad spectrum for dogs. Indicated for gastrointestinal, respiratory, and reproductive system infections.
Dosage: 1 mL for each 2.5 Kg of weight, which is equivalent to 19.2 mg of Sulfa-Trimethoprim for each Kg of weight. Oral use.
Presentación en mL: 60, 240, 1000.

ANALGESICS - ANTI-INFLAMMATORY

EDO INFLASYN

Phenylbutazone 20%.
ANALGESIC, ANTIPYRETIC AND ANTI-INFLAMMATORY.

Useful in musculoskeletal problems, traumatic conditions and inflammations of non-infectious origin; arthritis, arthrosis, bursitis, tendomyositis, laminitis, myositis, contusions, dislocations, blows and fractures.
Dosage: 1 mL per 10 Kg of weight for 3-5 days. Deep intramuscular or slow intravenous application. Do not use in felines, do not use in the first third of gestation.
Presentation in mL: 20, 50.

EDO DIPIRONA

Dipyrone 50%.
ANALGESIC, ANTIPYRETIC AND ANTI-INFLAMMATORY.

Useful in the symptomatic treatment of conditions characterized by acute pain and fever.
Dosage: 0.5 mL / 10 Kg of weight which is equivalent to 25 mg / Kg of weight. Deep intramuscular or slow intravenous application. **Precautions:** Do not administer together with warfarin or phenylbutazone.
Presentation in mL: 20, 50, 100.

ANTIPARASITICS

DOGG MAX

Pyrantel Pamoate 15 g + Praziquantel 5 g + Ivermectin 25 mg / 100 mL.

The antiparasitic with three molecules for the broadest spectrum of action. Coadjuvant in the treatment of internal parasites and control of external parasites.
Dosage: 1 mL / 10 Kg of weight. Oral use. **Precautions:** It is for exclusive use in canines, only use in dogs older than 6 months, contraindicated in English shepherd breeds, Brazilian fila, Siberian husky, collie shepherd and its crosses.
Presentation in mL: 2, 5, 10.

DOGG & CAT

Pyrantel Pamoate 7.5 g + Praziquantel 2.5 g / 100 mL.

Antiparasitic indicated for the treatment of internal parasites, with broad spectrum larvicidal and adulticidal action, both in dogs and cats over 6 weeks of age and any physiological state.
Dosage: 1 mL / 5 Kg of weight. Oral use.
Presentation in mL: 2, 5, 10, 250.

Hexaderm

Dermatological Cream with 6 Actions

Effective dermatological formula that blends powerful active ingredients with the benefit of 6 actions to create a powerful solution to skin problems.

6 in 1
Six effective actions in a single product!

Powerful and Effective
Solution to skin problems

Benefits

Rapidly absorbed **active ingredients and action on the skin.**

1 Cicatrizant
- Heals and cicatrizes wounds faster and better.

Zinc Oxide - Keratoplastic.



2 Anesthetic
- Soothes pain.
- Controls itching.
- Prevents injury from excessive licking or scratching.

Lidocaine - Local anesthetic.

3 Anti-inflammatory
- Helps to deflate.
- Relieves pain.

4 Antipruritic Antiallergic
- Calms pruritus (itching).
- Prevents scabbing.

Betamethasone - potent local corticosteroid action.



5 Antimicrobial
- Prevents and cures infections

Neomycin - Antibiotic.

6 Antimycotic
- Eliminates fungi.

Clotrimazole - Fungicide.



Success stories


Day 1

Día 8: with Hexaderm


Day 1

Day 8: with Hexaderm


Day 1

Day 8: with Hexaderm

Formula, Dosage, Route of Administration

GUARANTEED COMPOSITION:
Each 100 g of Edo Hexaderm Contains:

Clotrimazole	1,0 g
Neomycin base (as Neomycin sulfate 0.77 g)	0,52 g
Betamethasone (as Valerate 0.04 g)	0,03 g
Zinc Oxide	5,0 g
Lidocaine hydrochloride	2,0 g
Excipients q.s.c.	100 g

Indicated in: All species.

Dosage: Apply 3 times a day for 5 days. If the condition does not improve, consult your veterinarian.
Use: Topical

Keep it in your medicine cabinet
Hexaderm
EFFECTIVE CARE FOR THOSE YOU LOVE MOST.

edo Laboratorios

edo

Laboratorios

MÁS SOLUCIONES MÁS EFECTIVAS

Calle 13 # 38 - 86 Acopi - Yumbo
Valle del Cauca - Colombia
Telephone: (+57) 602 664 4408
info@laboratoriosedo.com
www.laboratoriosedo.com